

Cross/Multi P10 SMD LED-display - Outdoor - 1R1G1B (SMD-3in1)



- Flexible Cabinet solution, can be assembled horizontally or vertically
- Very bright, excellent picture in daylight
- Maintenance access front and rear

LED-display outdoors

Microbus Cross/Multi is a robust and very bright LED-display adapted for nordic climate and light conditions. The LED-display is light, well designed and the cabinets can be installed both horizontally and vertically. The cabinets are die cast aluminum and fit together seamlessly.

Microbus Cross/Multi is at home in a variety of environments and applications like sport arenas and events.






LED-display

A LED-display come in many different sizes, often a combination of many smaller cabinets

Cabinet

A cabinet, also known as a panel, is in turn a combination of many smaller modules



Module

A module is the smallest Screen section in a LED-display



Technical data


Туре	Cross/Multi P10 SMD
Article number	65-055-62
Pitch	10 mm
LED-set	SMD3535
Cabinet dimensions	480x960 mm
Module dimensions	240x240 mm
Connectors	Gold plated
EMI-filter	Yes
Soft start	Yes
Case	Die cast aluminum
Circuit board	4 layered copper, gold immersed
Protective lacquer	Yes
Maintenance Access	Front and rear
Brightness adjustment	Automatic
Pixel density	10 000 pixels/m ²
Pixel configuration	1R1G1B (SMD 3in1)
Visibility angle	H:140°; V:140°
Update frequency	≥1920-3840 Hz
Weight	≤35 kg/m²
Maximal consumption	750/950 W/m ²




Module

Technical data

Dimensions Module (WxH)	240x240 mm
Pitch	10 mm
Diod type	SMD3535
Resolution (WxH)	24x24 pixels



Cross/Multi P10 SMD



Flexible Cabinet Solutions



Microbus Cross/Multi can be installed in either a horizontal or vertical position. This allows the cabinets to be built robustly but still fit the needs of many different applications.





Flexible Cabinett Solutions continued

Microbus Cross/Multi can easily be altered to a sport perimeter WalTV. This is done by assembling two cabinets and adding a bounce cusion and two angle brackets, as can be seen below. The paired up cabinets are then seamlessly added to each other until they reach your desired leangth.






Cross/Multi P10 SMD

Flexible Cabinet Solutions Continued

Microbus Cross/Multi cabinets can be angled against each other in concave arches. The angle between each cabinet can be up to 15°, able to fit a large number of applications.



Microbus Cross/Multi cabinet can also easily be used as a rollup.



MICROBUS ELECTRONIC SERVICE AB

Electronic signs since 1983





info@MicrobusGroup.se | Vxl. 040 - 53 96 80 | Org.nr 556235-7151 | Företagsinfo: www.MicrobusGroup.se Våra produkter: www.LEDdisplay.se

MALMÖ Microbus AB

Hantverkaregatan 8 232 34 Arlöv, Sweden Tel. 040 – 53 96 80

GÖTEBORG Microbus AB Hults Gata 24 436 44 Askim, Sweden Tel. 031 – 79 71 555

VARBERG Microbus AB Järngatan 10 432 32 Varberg, Sweden Tel. 0340 - 54 21 10

SHENZHEN

Microbus AB Room 905, floor 9 HuaMei HuaMei road, SongGang Bao'an Shenzhen, China