

Cross/Multi P8 SMD

LED-display - Outdoor - 1R1G1B (SMD-3in1)



- Flexible Cabinet solution, can be assembled horizontally or vertically
- · Very bright, excellent picture in daylight
- Maintenance access front and rear

LED-display outdoors

Microbus Cross/Multi is a robust and very bright LED-display adapted for nordic climate and light conditions. The LED-display is light, well designed and the cabinets can be installed both horizontally and vertically. The cabinets are die cast aluminum and fit together seamlessly.

Microbus Cross/Multi is at home in a variety of environments and applications like sport arenas and events.
















Cabinet

Technical data


Type	Cross/Multi P8 SMD
Article number	65-055-54
Pitch	8 mm
LED-set	SMD3535
Cabinet dimensions	480x960 mm
Module dimensions	240x240 mm
Connectors	Gold plated
EMI-filter	Yes
Soft start	Yes
Case	Die cast aluminum
Circuit board	4 layered copper, gold immersed
Protective lacquer	Yes
Maintenance Access	Front and rear
Brightness adjustment	Automatic
Pixel density	15 625 pixels/m ²
Pixel configuration	1R1G1B (SMD 3in1)
Visibility angle	H:140°; V:140°
Update frequency	≥1920-3840 Hz
Weight	≤35 kg/m²
Weight Maximal consumption	≤35 kg/m² 650/750 W/m²




Module

Technical data

Dimensions Module (WxH)	240x240 mm
Pitch	8 mm
Diod type	SMD3535
Resolution (WxH)	30x30 pixels



Cabinet



[mm]

Flexible Cabinet Solutions



Microbus Cross/Multi can be installed in either a horizontal or vertical position. This allows the cabinets to be built robustly but still fit the needs of many different applications.





Flexible Cabinett Solutions continued

Microbus Cross/Multi can easily be altered to a sport perimeter WallTV. This is done by assembling two cabinets and adding a bounce cusion and two angle brackets, as can be seen below. The paired up cabinets are then seamlessly added to each other until they reach your desired leangth.








Flexible Cabinet Solutions Continued

Microbus Cross/Multi cabinets can be angled against each other in concave arches. The angle between each cabinet can be up to 15°, able to fit a large number of applications.



Microbus Cross/Multi cabinet can also easily be used as a rollup.



MICROBUS ELECTRONIC SERVICE AB

Electronic signs since 1983





info@MicrobusGroup.se | Vxl. 040 – 53 96 80 | Org.nr 556235-7151 | Företagsinfo: www.MicrobusGroup.se Våra produkter: www.LEDdisplay.se

MALMÖ

Microbus AB Hantverkaregatan 8 232 34 Arlöv, Sweden Tel. 040 – 53 96 80

GÖTEBORG

Microbus AB Hults Gata 24 436 44 Askim, Sweden Tel. 031 – 79 71 555

VARBERG Microbus AB

Järngatan 10 432 32 Varberg, Sweden Tel. 0340 - 54 21 10

SHENZHEN

Microbus AB Room 905, floor 9 HuaMei HuaMei road, SongGang Bao'an Shenzhen, China