



- Affordable with quality components
- Established and well-tested hardware
- Adapted for harsh Nordic climate and light conditions
- Multiple maintenance acces, front and rear


## LED-Screen for outdoor use

Microbus Essential may not look to be the most advanced, but stands on well established and thoroughly tested hardware. Each of the included components have been painstakingly selected to fit the Nordic climate and will withstand the large seasonal differences in weather and temperature.

Microbus Essential is a pure workhorse for those who want to combine affordability with high quality.


## LED-display

A LED-display come in many different sizes, often a combination of many smaller cabinets




## Cabinet

A cabinet, also known as a panel, is in turn a combination of many smaller modules



## Module


A module is the smallest Screen section in a LED-display




## Cabinet

### Technical data


Type	Essential P10 SMD
Article number	65-005-40
Pitch	10 mm
LED-set	SMD3535
Module dimensions (WxH)	320x320 mm
Connectors	Gold plated
EMI-filter	Yes
Soft start	Yes
Case	Galvanized steel or aluminium
Circuit Board	Double layered copper, gold immersed
Protective lacquer	Yes, extra thick
Maintenance Access	Multiple, front and rear
Brightness adjustment	Automatic
Pixel density	10 000 pixels/m <sup>2</sup>
Pixel configuration	1R1G1B (SMD 3in1)
Visibility angle	H:140°; V:140°
Grey scale	16 bit
Update frequency	≥ 1,920
Weight	≤60 kg/m <sup>2</sup>
Maximal consumption	680 W/m <sup>2</sup>




Standard Cabinet Sizes




1280 x 960 mm  
128 x 96 pixels




1280 x 1280 mm  
128 x 128 pixels



960 x 1280 mm  
96 x 128 pixels



960 x 960 mm  
96 x 96 pixels




1280 x 640 mm  
128 x 64 pixels



## Module


### Technical data

Dimensions Module (WxH)	320x320 mm
Pitch	10 mm
Diod type	SMD3535
Resolution (WxH)	32x32 pixels




## Fast Dismantling

Essential P10 SMD has easy access for service maintenance in both front and rear. At the rear there are cabinet doors, opened by key, which allow easy access to modules, power supply, and more. The modules can also be serviced and switched from the front using only a screwdriver.



MICROBUS ELECTRONIC SERVICE AB

# Electronic signs since 1983



info@MicrobusGroup.se | Vxl. 040 – 53 96 80 | Org.nr 556235-7151 | Företagsinfo: [www.MicrobusGroup.se](http://www.MicrobusGroup.se)

Våra produkter: [www.LEDdisplay.se](http://www.LEDdisplay.se)

**MALMÖ**  
Microbus AB  
Hantverkaregatan 8  
232 34 Arlöv, Sweden  
Tel. 040 – 53 96 80

**GÖTEBORG**  
Microbus AB  
Hults Gata 24  
436 44 Askim, Sweden  
Tel. 031 – 79 71 555

**VARBERG**  
Microbus AB  
Järngatan 10  
432 32 Varberg, Sweden  
Tel. 0340 - 54 21 10

**SHENZHEN**  
Microbus AB  
Room 905, floor 9 HuaMei  
HuaMei road, SongGang  
Bao'an Shenzhen, China